

Amendments to the Claims:

This listing of claims will replace all prior versions and listings of claims in the application.

Listing of Claims:

1-32. (canceled)

33. (currently amended) A dual balloon catheter comprising:

an elongate catheter body having a distal end region, the elongate catheter body defining only a single inflation lumen, a first guide wire lumen and a second guide wire lumen;

a first balloon having a proximal portion bonded ~~to~~ in fluid communication with the inflation lumen at the distal end region of the elongate catheter body, the first balloon disposed about at least a portion of the first guide wire lumen, the first balloon having a distal portion engaged to a distal region of the first guide wire lumen; and

a second balloon having a proximal portion bonded ~~to~~ in fluid communication with the inflation lumen at the distal end region of the elongate catheter body, the second balloon disposed about at least a portion of the second guide wire lumen, the second balloon having a distal portion engaged to a distal region of the second guide wire lumen, the first balloon and the second balloon in fluid communication with the inflation lumen.

34. (currently amended) The catheter of claim [[1]] 33 wherein at least a portion of the distal end region of the elongate catheter body comprises a disc.

35. (currently amended) The catheter of claim [[2]] 34 wherein the proximal portion of the first balloon is sealingly engaged to at least a portion of the disc.

36. (currently amended) The catheter of claim [[2]] 34 wherein the proximal portion of the second balloon is sealingly engaged to at least a portion of the disc.

37. (currently amended) The catheter of claim [[2]] 34 wherein the disc is at least partially

constructed of at least one adhesive.

38. (currently amended) The catheter of claim ~~[[1]]~~ 33 wherein ~~at~~ the first balloon comprises a first balloon length and the second balloon comprises a second balloon length, the first balloon length being greater than the second balloon length.

39. (currently amended) The catheter of claim ~~[[1]]~~ 33 further comprising a stent, the stent comprising a trunk portion and ~~ate~~ at least one branch portion, the stent having a predelivery state and a delivered state, in the predelivery state the trunk portion being disposed about a first region of the first balloon and at least a portion of the second balloon, and the at least one branch portion being disposed about a second region of the first balloon.

40. (original) The catheter of claim 39 wherein in the delivered state the trunk portion defines a trunk flow path and the branch portion defines a branch flow path, the branch flow path in fluid communication with the trunk flow path.

41. (original) The catheter of claim 40 wherein the trunk portion further defines a secondary opening, at least a portion of at least one of the second balloon and the second guide wire lumen extending distally through the secondary opening.

42. (new) A dual balloon catheter comprising:

an elongate catheter body defining a single inflation lumen, a first guide wire lumen, a second guide wire lumen, and a disc;

a first balloon disposed about at least a portion of the first guide wire lumen, the first balloon having a distal portion engaged to a distal region of the first guide wire lumen, and a proximal portion sealingly engaged to the disc; and

a second balloon disposed about at least a portion of the second guide wire lumen, the second balloon having a distal portion engaged to a distal region of the second guide wire lumen, and a proximal portion sealingly engaged to the disc, the disc providing a sealed connection of the first balloon and the second balloon to the inflation lumen.

43. (new) A dual balloon catheter comprising:
an elongate catheter body defining a single inflation lumen, a first guide wire lumen, and a second guide wire lumen;
a first balloon disposed about at least a portion of the first guide wire lumen, the first balloon having a distal portion engaged to a distal region of the first guide wire lumen; and
a second balloon disposed about at least a portion of the second guide wire lumen, the second balloon having a distal portion engaged to a distal region of the second guide wire lumen, wherein the proximal portion of the first and second balloon are sealing engaged to each other and sealingly engaged within a distal end opening of the inflation lumen to provide fluid communication between the inflation lumen and the first and second balloons.
44. (new) The catheter of claim 43 wherein the catheter body further includes a disc, the disc sealing engaging the first and second balloon to each other.
45. (new) The catheter of claim 44 wherein the disc is engages the distal end opening of the inflation lumen to sealing engage the first and second balloons to the inflation lumen.